


DMA-PU

金属软管

Metal conduit, coated



材料: 镀锌钢, TPU 涂层

DMA-PU 是具有特殊连接结构的镀锌钢带外覆蓝色聚氨酯涂层的金属软管。这种无卤素涂层的外膜可以防护产品的磨损和变形。DMA-PU 主要可用于铁路及船舶制造业。

Material: Galvanized steel, TPU coated

The flexible galvanized carbon steel conduit DMA-PU with special seam is surrounded by a thin layer made of polyurethane. This is halogen free and protects against mechanical abrasion and deformation. DMA-PU can mainly be applied in railway and ship building applications.

DMA-PU

产品性能 / Product performances



应用性能 / Application performances	特性 Characteristics	单位 Unit	规范标准 Standards, specifications	备注 Remark
温度范围 Temperature range	-45 到 / to +120 -49 到 / to +248	°C °F	IEC EN 50155:2002	
机械性能 / Mechanical performances				
冲击强度 Impact strength	6	J	IEC EN 61386	
峰值负载 Peak load	1250	N	IEC EN 61386	
防火性能 / Fire safety performances				
不含卤素和镉 Free from halogens and cadmium	是 / yes			
产品防火特性 Fire characteristic of the product	自熄 self-extinguishing		IEC EN 61386	
氧指数 Oxygen index	>30	%	EN ISO 4589-2	
火灾危害等级 Fire hazardous level	达 HL3 up to HL3			
烟雾浓度和毒性 Smoke density and toxicity	F1		UNI CEI 11170-3	
耐候性 / Weathering performances				
UV及耐候性 UV and weathering performance	好 average to good			

测试条件参照EN ISO 139温度23°C, 湿度 / 50% (如未注明测试条件)。IS FIP= FIP内部测试规范
Tests carried out acc. EN ISO 139 at 23°C/50% r. h. (if not indicated different). IS FIP = Internal Specification FIP


产品号 Part No.		名义尺寸 Nominal width	重量 Weight	尺寸 (mm) Dimensions in mm (nom.)		弯曲半径 Bending radius	每卷长度 Reel length
FIP	EURO 2000	NW	+/- 4% gr/mt	ID.	外径 / OD	mm	m
MC-DMA-210-PU.30	DMA-210-PU	10	173	10,0	13,5	40	30
MC-DMA-212-PU.30	DMA-212-PU	12	212	12,0	15,7	50	30
MC-DMA-216-PU.30	DMA-216-PU	15,5	265	15,5	19,5	55	30
MC-DMA-221-PU.30	DMA-221-PU	20,5	360	20,5	24,7	60	30
MC-DMA-227-PU.30	DMA-227-PU	26,5	462	26,5	31,7	85	30
MC-DMA-235-PU.30	DMA-235-PU	34,5	548	34,5	40,0	120	30
MC-DMA-240-PU.25	DMA-240-PU	39,5	569	39,5	45,0	160	25
MC-DMA-250-PU.25	DMA-250-PU	50,5	795	50,5	56,0	200	25

关于产品库存, 交期, 尺寸及颜色等问题请联系我们本地的经销商或客服。

Please contact our local distribution partner or our customer service regarding product availability, lead time, other sizes and colours.



产品代码 / Number code:



我们尽我们的知识水平所提供的数据, 图像和技术规格图反映了当前的工程技术水平。这并不包含对最后应用有关的任何责任。产品用户需根据应用进行自己的评估, 以确定产品是否符合特殊的应用条件。我们对产品的责任只考虑一般规定条件下的水平。FIP保留对产品数据和数值进行技术调整的权力。例如更改材料和加工工艺, 在保证产品性能数值不下降的情况下不会另行通知。

The provided data, images and technical specification drawings reflect the current engineering level and are to the best of our knowledge. This does not include any liability regarding the final application. Users of the products have to make their own evaluation to determine the suitability for a specific application. Our liability for these products considers the stated level within our General Conditions only. FRAENKISCHE Industrial Pipes (FIP) reserves the right to adjust specified data and values as well as implementing technical adjustments of the products e. g. change of materials and processing technologies without prior notice as long as the specified values are not reduced.