


## NEPA-PG

塑料PG制螺纹六角扩展头  
*Thread enlarger, PG, plastic*



	min.					max.
温度范围 <i>Temperature range</i>	█	█	█	█	█	█
UV保护性能 <i>UV protection</i>	█	█	█	█	█	█
低温性能 <i>Cold environment performance</i>	█	█	█	█	█	█
机械强度 <i>Mechanical strength</i>	█	█	█	█	█	█

材料: 尼龙玻纤增强

尼龙玻纤增强螺纹扩展头NEPA-PG 主要用于当有大螺纹尺寸的连接头需要用于已存在的小型号的螺纹孔时, 扩展箱体螺纹尺寸, 适配连接头。

**Material: polyamide glas fibre reinforced**

The polyamide fiberglass-reinforced thread enlarger NEPA-PG is used when threaded connections with larger connection threads must be used in existing threaded holes in the housing.

## NEPA-PG

### 产品性能 / Product performances

应用性能 / <i>Application performances</i>	特性 <i>Characteristics</i>	单位 <i>Unit</i>	规范标准 <i>Standards, specifications</i>	备注 <i>Remark</i>
温度范围 <i>Temperature range</i>	-40 到 / <i>to</i> +100 -40 到 / <i>to</i> +212	°C °F	IS FIP	
<b>防火性能 / <i>Fire safety performances</i></b>				
不含卤素和镉 <i>Free from halogens and cadmium</i>	是 / <i>yes</i>			
阻燃性能 <i>Fire classification</i>	HB		UL 94	
火焰蔓延 <i>Spread of fire</i>	非火焰蔓延 <i>non flame propagating</i>		IEC EN 61386	
<b>耐候性 / <i>Weathering performances</i></b>				
UV及耐候性 <i>UV and weathering performance</i>	好 <i>good</i>		IS FIP	5 到 10 年 <i>5 to 10 years</i>

测试条件参照EN ISO 139温度23°C, 湿度 / 50% (如未注明测试条件)。IS FIP=FIP内部测试规范。



Tests carried out acc. EN ISO 139 at 23°C/50% r. h. (if not indicated different). IS FIP = Internal Specification FIP

产品号 Part. No	外螺纹 Outer thread	内螺纹 Inner thread	尺寸 mm Dimensions in mm						包装单元 PU 个 / Pcs
			L1	L2	ØID	SW	ØA	B	
灰色 / grey NEPA-P07P09G-H	G1 PG7	G2 PG9	9,0	15,5	6,0	20,0	22,0	27,0	10
NEPA-P09P11G-H	PG9	PG11	9,0	15,5	10,0	22,0	24,0	27,0	10
NEPA-P11P13G-H	PG11	PG13	9,0	15,5	13,0	24,0	27,0	27,0	10
NEPA-P13P16G-H	PG13	PG16	10,0	15,5	14,0	27,0	29,0	28,0	10
NEPA-P16P21G-H	PG16	PG21	10,0	15,5	17,0	33,0	36,0	28,0	10
NEPA-P21P29G-H	PG21	PG29	12,0	15,5	22,0	42,0	45,0	30,0	10
NEPA-P29P36G-H	PG29	PG36	12,0	15,5	30,0	53,0	59,0	30,0	6

关于产品库存, 交期, 尺寸及颜色等问题请联系我们本地的经销商或客服。

Please contact our local distribution partner or our customer service regarding product availability, lead time, other sizes and colours.

## 产品代码 / Number code:



我们尽我们的知识水平所提供的数据, 图像和技术规格图反映了当前的工程技术水平。这并不包含对最后应用有关的任何责任。产品用户需根据应用进行自己的评估, 以确定产品是否符合特殊的应用条件。我们对产品的责任只考虑一般规定条件下的水平。FIP保留对产品数据和数值进行技术调整的权力。例如更改材料和加工工艺, 在保证产品性能数值不下降的情况下不会另行通知。

The provided data, images and technical specification drawings reflect the current engineering level and are to the best of our knowledge. This does not include any liability regarding the final application. Users of the products have to make their own evaluation to determine the suitability for a specific application. Our liability for these products considers the stated level within our General Conditions only. FRAENKISCHE Industrial Pipes (FIP) reserves the right to adjust specified data and values as well as implementing technical adjustments of the products e. g. change of materials and processing technologies without prior notice as long as the specified values are not reduced.